

Cover plate Visign for Public Instructions for Use



for concealed cistern 2H, concealed cistern 2L, concealed cistern 2C, concealed cistern Standard 2S, from series 04/2009 onwards

Model
8326.9

Year built:
from 01/2011

en_INT



Table of contents

1	About these instructions for use	4
1.1	Target groups	4
1.2	Labelling of notes	4
1.3	About this translated version	5
2	Product information	6
2.1	Intended use	6
2.1.1	Areas of use	6
2.2	Product description	6
2.2.1	Dimensions	6
3	Handling	7
3.1	Assembly	7
3.2	Disposal	8

1 About these instructions for use

Trade mark rights exist for this document, further information can be found at www.viega.com/legal-notice.

1.1 Target groups

The information in this instruction manual is directed at the following groups of people:

- Heating and sanitary professionals and trained personnel

It is not permitted for individuals without the abovementioned training or qualification to mount, install and, if required, service this product. This restriction does not extend to possible operating instructions.

The installation of Viega products must take place in accordance with the general rules of engineering and the Viega instructions for use.

1.2 Labelling of notes

Warning and advisory texts are set aside from the remainder of the text and are labelled with the relevant pictographs.



DANGER!

This symbol warns against possible life-threatening injury.



WARNING!

This symbol warns against possible serious injury.



CAUTION!

This symbol warns against possible injury.



NOTICE!

This symbol warns against possible damage to property.



Notes give you additional helpful tips.

1.3 About this translated version

This instruction for use contains important information about the choice of product or system, assembly and commissioning as well as intended use and, if required, maintenance measures. The information about the products, their properties and application technology are based on the current standards in Europe (e. g. EN) and/or in Germany (e. g. DIN/DVGW).

Some passages in the text may refer to technical codes in Europe/Germany. These should serve as recommendations in the absence of corresponding national regulations. The pertinent national laws, standards, regulations and guidelines, as well as other technical guidelines, have priority over German/European guidelines in this manual: The information is not binding for other countries and territories and should, as mentioned, be considered as support.

2 Product information

2.1 Intended use

2.1.1 Areas of use

The cover plate is suitable for mounting on the following Viega cisterns.

- 2H concealed cistern
- 2L concealed cistern
- 2C concealed cistern
- Standard 2S concealed cisterns (from series 04/2009 onwards)

2.2 Product description

2.2.1 Dimensions




Fig. 1: Dimensional drawing

3 Handling


3.1 Assembly




The following illustrations show cistern 2H as an example. The mounting steps of the cisterns are identical.

Requirements:


- Remote actuation Public 1 (model 8326.21) is mounted.
- Remove cistern cover.
- Remove and keep the threaded bolts from the cistern cover.
- Dispose of cistern cover.




- Insert the threaded bolts left and right into the holders. The threaded anchors must be positioned to the top and bottom.




- Insert the threaded bolts so deeply that the upper edge of the threaded bolt sticks out approx. 20 mm behind the upper edge of the tiles.
- Fasten threaded bolts with a 90° turn.





► Screw on basic panel.



► Apply the cover plate and secure with supplied screws.
Screw absorption = Torx T10

3.2 Disposal

Separate the product and packaging materials (e. g. paper, metal, plastic or non-ferrous metals) and dispose of in accordance with valid national legal requirements.